

quality measures

Based on Agency For Healthcare Research And Quality Measures

Hospital Name

SHANDS JACKSONVILLE MEDICAL CENTER

ST VINCENT'S MEDICAL CENTER

BAPTIST MEDICAL CENTER

MAYO CLINIC

MEMORIAL HOSPITAL JACKSONVILLE

ST VINCENT'S MEDICAL CENTER SOUTHSIDE

quality measures

Based on Agency For Healthcare Research And Quality Measures

Collapsed lung due to medical treatment

Worse than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

quality measures

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery

No Different than U.S. National Rate

Worse than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

quality measures

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Worse than U.S. National Rate

No Different than U.S. National Rate

quality measures

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

quality measures

Based on Agency For Healthcare Research And Quality Measures

Rate - Death from serious treatable complications after surgery

163.81

117.17

132.15

100.39

113.68

129.71

quality measures

Based on Agency For Healthcare Research And Quality Measures

Rate - Collapsed lung due to medical treatment

0.81

0.34

0.39

0.36

0.36

0.2

quality measures

Based on Agency For Healthcare Research And Quality Measures

Rate - Breathing failure after surgery

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

quality measures

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious blood clots after surgery	
5	
2.04	
4.94	
3.53	
7.51	
4.51	

quality measures

Based on Agency For Healthcare Research And Quality Measures

Rate - A wound that splits open after surgery

1.07

0.29

0.89

0.54

0.32

1.54

quality measures

Based on Agency For Healthcare Research And Quality Measures

Rate - Accidental cuts and tears from medical treatment

3.77

1.83

1.58

0.86

2.3

1.78

quality measures

Based on Agency For Healthcare Research And Quality Measures

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

quality measures

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths after admission for broken hip

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available